

## Hesperiidae (Skippers)

		Flight Period	Status
Silver-spotted Skipper	<i>Epargyreus clarus</i>	5B - 10A	
Long-tailed Skipper	<i>Urbanus proteus</i>		A
Northern Cloudywing	<i>Thorybes pylades</i>	5D - 7D	
Dreamy Duskywing	<i>Erynnis icelus</i>	5A - 7C	
Juvenal's Duskywing	<i>Erynnis juvenalis</i>	5A - 7C	
Horace's Duskywing	<i>Erynnis horatius</i>		U
Columbine Duskywing	<i>Erynnis lucilius</i>	5A - 9A	U
Wild Indigo Duskywing	<i>Erynnis baptisiae</i>	5A - 9D	U
<b>Persius Duskywing</b>	<b><i>Erynnis persius</i></b>	<b>5A - 6A</b>	<b>P/C</b>
Common Sootywing	<i>Pholisora catullus</i>	5A - 9B	1
Arctic Skipper	<i>Carterocephalus palaemon</i>	5C - 8A	
Least Skipper	<i>Ancyloxypha numitor</i>	5D - 9D	
European Skipper	<i>Thymelicus lineola</i>	5D - 8C	I
Fiery Skipper	<i>Hylephila phyleus</i>	9A-9D	V
Leonard's Skipper	<i>Hesperia leonardus</i>	8B - 10B	
Common Branded Skipper	<i>Hesperia comma</i>	6A - 9C	
<b>Cobweb Skipper</b>	<b><i>Hesperia metea</i></b>	<b>5A - 6B</b>	<b>1/C</b>
Indian Skipper	<i>Hesperia sassacus</i>	5D - 7D	
Peck's Skipper	<i>Polites peckius</i>	5D - 10B	
Tawny-edged Skipper	<i>Polites themistocles</i>	5C - 10A	
Crossline Skipper	<i>Polites origenes</i>	6C - 8B	3
Long Dash	<i>Polites mystic</i>	5D - 9B	
Northern Broken-Dash	<i>Wallengrenia egeremet</i>	6B - 9A	
Little Glassywing	<i>Pompeius verna</i>	5D - 10A	
Delaware Skipper	<i>Anatrytone loqan</i>	6A - 9D	
<b>Mulberry Wing</b>	<b><i>Poanes massasoit</i></b>	<b>7A - 8C</b>	<b>2/C</b>
Hobomok Skipper	<i>Poanes hobomok</i>	5C - 8B	
<b>Broad-winged Skipper</b>	<b><i>Poanes viator</i></b>	<b>6D - 8D</b>	<b>2/C</b>
<b>Dion Skipper</b>	<b><i>Euphyes dion</i></b>	<b>7A - 8A</b>	<b>2/C</b>
<b>Black Dash</b>	<b><i>Euphyes conspicua</i></b>	<b>7A - 8B</b>	<b>1/C</b>
<b>Two-spotted Skipper</b>	<b><i>Euphyes bimacula</i></b>	<b>6C - 7C</b>	<b>1/C</b>
Dun Skipper	<i>Euphyes vestris</i>	6A - 9B	
<b>Dusted Skipper</b>	<b><i>Atrytonopsis hianna</i></b>	<b>5B - 8A</b>	<b>1/C</b>
Pepper and Salt Skipper	<i>Amblyscirtes hegon</i>	5B - 8D	
Common Roadside-Skipper	<i>Amblyscirtes vialis</i>	5B - 7B	



## VERMONT BUTTERFLY SURVEY

# BUTTERFLY CHECKLIST

Date: \_\_\_\_\_ Start Time: \_\_\_\_\_ End Time: \_\_\_\_\_

Cloud Cover: \_\_\_\_\_ (%) Temp: \_\_\_\_\_ °F or °C Wind: \_\_\_\_\_ (mph)

Location(s): \_\_\_\_\_

Observer(s): \_\_\_\_\_

This is a **preliminary** checklist compiled from various sources (contact the Vermont Butterfly Survey for citations). This list includes 104 species known to occur in Vermont, one known extirpated species and four species that may be found in Vermont.

Flight periods (not distinguishing multiple broods) are **estimated** from guidebooks and data from nearby states and provinces. They are represented by month (1-12) and week within a month (A-D). For example, the estimated flight period for Black Swallowtail (4D - 10A) is the last week in April through the first week in October.

Codes indicated here are **provisionally** assigned by the Vermont Butterfly Survey and are not necessarily indicative of a species standing outside of Vermont. (Note that some uncommon or rare species can be numerous in the proper habitat.) Bold indicates Species of Greatest Conservation Need as defined in the Vermont Wildlife Action Plan.

Updated: 6/3/2010

### Status Codes

#### Vermont Butterfly Survey Codes

X - Extirpated from VT  
1 - Very Rare  
2 - Rare  
3 - Uncommon  
H - Historical Record  
C - Special Concern

I - Introduced  
V - Vagrant  
P - Possible (not yet reported)  
A - Accidental  
U - Status Uncertain



**Vermont Butterfly Survey**  
Vermont Center for Ecostudies  
PO Box 420  
Norwich, VT 05055  
[www.vtecostudies.org/vbs](http://www.vtecostudies.org/vbs)

## Papilionidae (Swallowtails)

		Flight Period	Status
Pipevine Swallowtail	<i>Battus philenor</i>	6B - 10A	V
Black Swallowtail	<i>Papilio polyxenes</i>	4D - 10A	
Eastern Tiger Swallowtail	<i>Papilio glaucus</i>	6A - 10A	1
Canadian Tiger Swallowtail	<i>Papilio canadensis</i>	5A - 6B	
Spicebush Swallowtail	<i>Papilio troilus</i>	5A - 10A	1



